Premier+[™] Create - Stained Glass Applique

See how guick and easy it is to create beautiful stained glass applique designs. You can audition your applique fabrics right in the design area.

- Double-click to open the Premier+[™] Embroidery System. 1.
- 2. Double-click to open Premier+[™] Configure. Premier+ Configure
- 3. Click the Reset All Modules button.
 - Resetting All Modules ensures that all settings are at their original point.

Reset All Modules

- 4. Click the OK button as needed to finish the Reset process.
- 5. Double-click Premier+[™] Embroidery to open Premier +[™] Embroidery Extra.
- 6. Click the Create icon on the QuickLink Toolbar.
- Load a Picture into the Paint Window 7. Click Load a Picture into the Paint Window.
- Next >8. Click the Next button.
- 9. In the Choose Picture window, click the Load a Picture button.

Next >

- 10. Browse to Premier+\My Pictures (presuming this is where you saved your picture) and click on Tulip-Stained Glass.png.
- OK 11. Click the OK button.
- 12. Click the Next button.
- 13. In the Rotate and Crop Picture window, click the N
- 14. In the Design Size window, Fit Design to Hoop is selected by default. Click the Change Hoop button. Change Hoop
- 15. Set the Hoop Group to Universal.
- 16. Set the Hoop Size to 240mm x 150mm Universal Large Hoop 2 and set the Orientation to Natural.
- OK 17. Click the OK button.
- Enter Design Size 18. Click Enter Design Size.
- 19. Set the size to 150mm Height.
- Next >20. Click the Next button.





OK



21. In the Reduce Colors window, click the Finish button. Finish			
22. Click the File tab.			
23. Click Preferences			
24. Remove the check mark from Color Tolerance.			
• There is no shading in colors in this picture, so Color Tolerance is not necessary, and clicking through the design will be quicker.			
25. Click the Quick Create tab.			
26. On the Design Panel (on the right side of the window) Design Panel × , click on			
the default blue thread color. 🔽 🧴 💶 🔤 🔤			
27. Click the Change Color icon at the bottom of that window.			
 28. Pick a dark gray color (this will be the leading in the glass). Click the OK button. 29. In the Pattern Fill area, click the top half of the icon to turn off pattern fill. 			
• The first three icons from the left are double icons.			
• Click on the top half of the icon to turn the feature on and off.			
Click on the lower half of the icon to set the preferences.			
30. Click on the lower half of the border icon and select Double Stitch .			
31. Click on the top half of the Applique icon to turn on Applique.			
32. Click on the Fill Area and Line icon on the right side of the Ribbon Toolbar.			
33. Click the Applique tab.			
34. Choose your favorite method of applique.			
• I have an electronic cutter, so I'm choosing Pre-cut Piece with an Applique Piece Margin of .5mm.			
35. Click <mark>OK</mark> .			
36. Click on the lower half of the Applique icon to Select Applique Fabric.			
37. In the Applique Selection window, Applique Type box, click Fabric.			

38. In the Fabric Options box, click Load Previously Saved Fabric.

- 39. Open the General Fabrics folder, and pick the fabric of your choice.
 - This fabric will be used in the tulip.

OK

- 40. Click the OK button.
- 41. Change the angle of the fabric if you'd like to make it more pleasing.
- OK 42. Click the OK button.
- QuickStitch and then click inside the three sections of the tulip 43. Click the **QuickStitch** icon flower.
 - Start with what you want to stitch first, then second then third. •
- 44. Click the lower half of the Applique icon again to select a fabric for the leaves.
 - I don't have to lay down the applique tool to choose another fabric what a timesaver!
- 45. In the Applique Selection window, Applique Type box, click Fabric.
- 46. In the Fabric Options box, click Load Previously Saved Fabric.

OK

OK

- 47. Open the General Fabrics folder, and pick the leaf fabric of your choice.
- 48. Click the OK button.
- 49. Change the angle of the fabric if you'd like to make it more pleasing.
- 50. Click the OK button.



- , and then click inside the two leaves in the order you want to stitch. 51. Click the **QuickStitch** icon
- 52. Click the lower half of the Applique icon again to select a fabric for the center background.
- 53. In the Applique Selection window, Applique Type box, click Fabric.
- 54. In the Fabric Options box, click Load Previously Saved Fabric.

















- 55. Open the General Fabrics folder, and pick the fabric of your choice for the inner background.
- 56. Click the OK button.
- 57. Change the angle of the fabric if you'd like to make it more pleasing.

OK

OK

58. Click the OK button.

59. Click the **OuickStitch** icon



- , and then click inside the four sections of the center background.
- 60. Click the lower half of the Applique icon again to select a fabric for the outside background.
- 61. In the Applique Selection window, Applique Type box, click Fabric.
- 62. In the Fabric Options box, click Load Previously Saved Fabric.
- 63. Open the General Fabrics folder, and pick the fabric of your choice for the outside background.
- 64. Click the OK button.
- 65. Change the angle of the fabric if you'd like to make it more pleasing.
- 66. Click the OK button.

OK	

- 67. Click the Quick Stitch+AutoHole icon ¹⁰⁰, and then click inside the outside background.
 - No need to right click to put away the QuickStitch tool before selecting QuickStitch + AutoHole tool.
 - The Quick Stitch + AutoHole will see the inner part of the design as one hole.
- 68. Right click to finish placing applique pieces.
- 69. Click on the View tab.
- 70. Click on 2D View.
- 71. Click the **Zoom to Rectangle** icon

in the lower right corner of the window.

- 72. Click, hold, and drag a **rectangle** around the upper left 25% of the picture.
- 73.



74. Click on the Quick Create tab. Click the Trace icon.		
75. Select Satin Line Trace.		
76. Click on one of the center background grid lines.		
77. Notice on the Filmstrip, the Group icon.		
78. Right click on the Group icon and select Properties.		
79. Set the Width to 3.0mm and the Density to 4.		
80. Click the <mark>OK</mark> button.		
81. Click the Trace icon again.		
82. Select Satin Line Trace again.		
83. Click on the outside border .		
Notice that the upper left corner does not close as expected.		
84. Right click on the Group in the Filmstrip.		
85. Select Properties.		
86. Set the Width to 4.5mm and the Density to 4.		
87. Place a check mark in Closed Border.		
88. Click the OK button.		
• The border is now closed and mitered like the rest of the border!		
89. Click the Zoom to Fit icon.		



- 90. Click on the View tab.
- 91. Click on 3D View. 3D 3D View
- 92. Let's take a look at how the design will stitch. Touch the **Design Player** icon on the top toolbar.
- 93. Touch the Play button.
- 94. Touch the Fast Forward button a couple of times to simulate the stitching faster.



- When there is a stop command in the design, there is text to tell you what the command is for.
- As the simulation continues, the applique fabric fills in the space and continues.
- Continue watching the design play out, then close that window.
- 95. Click Cancel on the Design Player window.
- 96. Click the Save As icon on the top toolbar.
- 97. Browse to Premier+\My Designs, and name the design Stained Glass Tulip Applique.

Save

- 98. Click the Save button.
 - This is the .edo "working" file format that you can go back to later and make changes if you need.
- 99. Click the Export icon on the top toolbar.



100. In the File Format area, click the drop down arrow and choose Husqvarna Viking/Pfaff.vp4.

🙀 Husqvarna Viking / Pfaff (.vp4)

- By exporting in .vp4 format, my applique fabric options are maintained.
- Open the .vp4 file in other Premier+[™] Modules and see the fabric options.
- 101. Review the options and click the OK button.
- 102. Browse to **Premier+\My Designs**.







- Notice that the name is remembered from the Save As option.
- The word Exported was added to the end of the name. This lets you know at a glance that the design has been finalized for stitch out.
- In Premier+[™] Configure, on the Export tab, you can change the phrase to be added to the end of the file name, or choose to add none at all.

OK

Export

103. Click the **Export** button.



We now need to export for the machine of your choice.

- 104. Click the Export icon on the top toolbar.
- 105. In the File Format area, click the drop down arrow and choose the **format for your embroidery** machine.
- 106. Review the options and click the OK button.
- 107. Browse to Premier+\My Designs and click the Export button.
- 108. Click the File tab.

109. Click Export Applique Pieces.

- Notice the options on the Export Applique Pieces window.
- Choose the export method most appropriate for you.

